



- The EO progressive ring fitting is a flareless metric fitting (for metric tube) that consists of a body, a progressive ring (ferrule) and a nut. On assembly, two cutting edges of the progressive ring “bite” into the outer surface of the tube ensuring the necessary holding power and seal for high operating pressure.
- Three series of EO tube fittings (LL, L and S) are manufactured in accordance with DIN 2353 and ISO 8434-1.
- To ensure functional safety of EO tube fittings, only EO parts should be used in their assembly. Routing of tubes should be carried out in accordance with Parker/EO recommended practices.
- **VISIBLE BITE:** The critical front bite of the progressive ring is visible to tube fittings and inspectors.
- **SEALING CAPABILITY:** Fittings stay leak free under various service conditions ranging from sealing high vacuum and small molecular gases to high pressure hydraulic fluids.

## Nut (M)



| Part No. | Parker No. | Series     | Material | Tube Size (mm) | Unit |
|----------|------------|------------|----------|----------------|------|
| PT-00692 | M06LLCFX   | Very Light | Steel    | 6              | 5    |
| PT-00445 | M08LLCFX   | Very Light | Steel    | 8              | 4    |
| PT-00693 | M10LLCFX   | Very Light | Steel    | 10             | 5    |
| PT-00447 | M12LLCFX   | Very Light | Steel    | 12             | 4    |
| PT-00443 | M06LCFX    | Light      | Steel    | 6              | 4    |
| PT-00444 | M08LCFX    | Light      | Steel    | 8              | 4    |
| PT-00446 | M10LCFX    | Light      | Steel    | 10             | 4    |
| PT-00695 | M12LCFX    | Light      | Steel    | 12             | 5    |
| PT-00448 | M15LCFX    | Light      | Steel    | 15             | 4    |
| PT-00696 | M18LCFX    | Light      | Steel    | 18             | 5    |
| PT-00449 | M22LCFX    | Light      | Steel    | 22             | 4    |
| PT-00697 | M28LCFX    | Light      | Steel    | 28             | 2    |
| PT-00698 | M06SCFX    | Heavy      | Steel    | 6              | 5    |
| PT-00699 | M08SCFX    | Heavy      | Steel    | 8              | 5    |
| PT-00700 | M10SCFX    | Heavy      | Steel    | 10             | 5    |
| PT-00701 | M12SCFX    | Heavy      | Steel    | 12             | 5    |
| PT-00702 | M16SCFX    | Heavy      | Steel    | 16             | 5    |
| PT-00703 | M20SCFX    | Heavy      | Steel    | 20             | 5    |
| PT-00704 | M25SCFX    | Heavy      | Steel    | 25             | 2    |
| PT-00705 | M30SCFX    | Heavy      | Steel    | 30             | 2    |

- **DISTRIBUTED STRESSES:** Flexural Loading Stresses at several points in the joint, stress concentration at the “bite” are minimized.
- **VIBRATION CONTROL:** the real bevel of the ferrule firmly grips the tubing dampening the effects of system vibration in the joint.
- **TEMPERATURE RATING:** EO fittings are suitable for sub-zero service through elevated temperatures. Service temperature rating is limited by the material chosen.
- **RE-USABILITY/REMAKABILITY:** Joints can be disassembled and reassembled many times to facilitate system maintenance.
- **ASSEMBLY:** No expensive or complicated tooling is necessary to assemble EO fittings. Assembly is simple but must follow Parker's assembly practices.
- **WORLD WIDE POPULARITY:** The EO bite type fitting design has worldwide acceptance and is especially popular in Europe where it was invented by Emerto which became part of Parker Hannifin.

## Progressive Ring (DPR)



- For L and S Series Only

| Part No. | Parker No. | Series | Material        | Tube Size (mm) | Unit |
|----------|------------|--------|-----------------|----------------|------|
| PT-00472 | DPR06L71X  | Light  | Stainless Steel | 6              | 5    |
| PT-00473 | DPR08L71X  | Light  | Stainless Steel | 8              | 5    |
| PT-00474 | DPR10L71X  | Light  | Stainless Steel | 10             | 5    |
| PT-00475 | DPR12L71X  | Light  | Stainless Steel | 12             | 5    |
| PT-00476 | DPR15L71X  | Light  | Stainless Steel | 15             | 5    |
| PT-00477 | DPR18L71X  | Light  | Stainless Steel | 18             | 5    |
| PT-00478 | DPR22L71X  | Light  | Stainless Steel | 22             | 5    |
| PT-00479 | DPR28L71X  | Light  | Stainless Steel | 28             | 5    |
| PT-00480 | DPR14S71X  | Heavy  | Stainless Steel | 14             | 5    |
| PT-00481 | DPR16S71X  | Heavy  | Stainless Steel | 16             | 5    |
| PT-00482 | DPR20S71X  | Heavy  | Stainless Steel | 20             | 5    |
| PT-00483 | DPR25S71X  | Heavy  | Stainless Steel | 25             | 5    |
| PT-00484 | DPR30S71X  | Heavy  | Stainless Steel | 30             | 5    |

## Cutting Ring (D)



- For LL Series and All Brass

| Part No. | Parker No. | Material        | Series     | Tube Size (mm) | Unit |
|----------|------------|-----------------|------------|----------------|------|
| PT-00425 | D06LLX     | Steel           | Very Light | 6              | 20   |
| PT-00426 | D08LLX     | Steel           | Very Light | 8              | 20   |
| PT-00469 | D10LLX     | Steel           | Very Light | 10             | 10   |
| PT-00427 | D12LLX     | Steel           | Very Light | 12             | 20   |
| PT-00470 | D06LL71X   | Stainless Steel | Very Light | 6              | 10   |
| PT-00471 | D08LL71X   | Stainless Steel | Very Light | 8              | 10   |

Put Barnes **BLUE** to work for you.<sup>SM</sup>

# Parker EO Metric Bite Type Tube Fittings

## Progressive Ring (PSR)

- For L and S Series Only




| Part No. | Parker No. | Series | Material | Tube Size (mm) | Unit |
|----------|------------|--------|----------|----------------|------|
| PT-00450 | PSR06LX    | Light  | Steel    | 6              | 10   |
| PT-00451 | PSR08LX    | Light  | Steel    | 8              | 10   |
| PT-00452 | PSR10LX    | Light  | Steel    | 10             | 10   |
| PT-00707 | PSR12LX    | Light  | Steel    | 12             | 10   |
| PT-00453 | PSR15LX    | Light  | Steel    | 15             | 10   |
| PT-00708 | PSR18LX    | Light  | Steel    | 18             | 10   |
| PT-00454 | PSR22LX    | Light  | Steel    | 22             | 10   |
| PT-00709 | PSR28LX    | Light  | Steel    | 28             | 5    |
| PT-00710 | PSR16SX    | Heavy  | Steel    | 16             | 10   |
| PT-00711 | PSR20SX    | Heavy  | Steel    | 20             | 10   |
| PT-00712 | PSR25SX    | Heavy  | Steel    | 25             | 5    |
| PT-00713 | PSR30SX    | Heavy  | Steel    | 30             | 5    |

## EOlastic Ring (EO)




| Part No. | Parker No. | Thread Size (mm) | Thread Size (in.) | Unit |
|----------|------------|------------------|-------------------|------|
| PT-00485 | ED8X1X     | M8 x 1           | —                 | 10   |
| PT-00486 | ED10X1X    | M10 x 1          | —                 | 10   |
| PT-00487 | ED12X1.5X  | M12 x 1.5        | —                 | 10   |
| PT-00488 | ED14X1.5X  | M14 x 1.5        | —                 | 10   |
| PT-00489 | ED16X1.5X  | M16 x 1.5        | —                 | 10   |
| PT-00490 | ED3/8X     | —                | 3/8               | 10   |
| PT-00491 | ED18X1.5X  | M18 x 1.5        | —                 | 10   |
| PT-00492 | ED20X1.5X  | M20 x 1.5        | —                 | 10   |
| PT-00493 | ED1/2X     | —                | 1/2               | 10   |
| PT-00485 | ED8X1X     | M8 x 1           | —                 | 10   |
| PT-00486 | ED10X1X    | M10 x 1          | —                 | 10   |
| PT-00487 | ED12X1.5X  | M12 x 1.5        | —                 | 10   |
| PT-00488 | ED14X1.5X  | M14 x 1.5        | —                 | 10   |
| PT-00489 | ED16X1.5X  | M16 x 1.5        | —                 | 10   |
| PT-00490 | ED3/8X     | —                | 3/8               | 10   |
| PT-00491 | ED18X1.5X  | M18 x 1.5        | —                 | 10   |
| PT-00492 | ED20X1.5X  | M20 x 1.5        | —                 | 10   |
| PT-00493 | ED1/2X     | —                | 1/2               | 10   |
| PT-00494 | ED22X1.5X  | M22 x 1.5        | —                 | 10   |
| PT-00495 | ED26X1.5X  | M26 x 1.5        | —                 | 10   |
| PT-00497 | ED33X2X    | M33 x 2          | —                 | 5    |
| PT-00498 | ED42X2X    | M42 x 2          | —                 | 5    |
| PT-00499 | ED48X2X    | M48 x 2          | —                 | 5    |

## Straight Union, 24° Flareless to 24° Flareless (G)




| Part No. | Parker No. | Series     | Material | Tube Size (mm) | Unit |
|----------|------------|------------|----------|----------------|------|
| PT-00554 | G06LLCF    | Very Light | Steel    | 6              | 5    |
| PT-00555 | G08LLCF    | Very Light | Steel    | 8              | 5    |
| PT-00556 | G06LCF     | Light      | Steel    | 6              | 5    |
| PT-00557 | G08LCF     | Light      | Steel    | 8              | 5    |
| PT-00558 | G10LCF     | Light      | Steel    | 10             | 5    |
| PT-00559 | G12LCF     | Light      | Steel    | 12             | 5    |
| PT-00560 | G15LCF     | Light      | Steel    | 15             | 2    |
| PT-00561 | G18LCF     | Light      | Steel    | 18             | 2    |
| PT-00562 | G22LCF     | Light      | Steel    | 22             | 2    |
| PT-00563 | G28LCF     | Light      | Steel    | 28             | 2    |
| PT-00564 | G06SCF     | Heavy      | Steel    | 6              | 5    |
| PT-00565 | G08SCF     | Heavy      | Steel    | 8              | 5    |
| PT-00566 | G10SCF     | Heavy      | Steel    | 10             | 5    |
| PT-00567 | G12SCF     | Heavy      | Steel    | 12             | 5    |
| PT-00568 | G16SCF     | Heavy      | Steel    | 16             | 2    |
| PT-00569 | G20SCF     | Heavy      | Steel    | 20             | 2    |
| PT-00570 | G25SCF     | Heavy      | Steel    | 25             | 2    |
| PT-00571 | G30SCF     | Heavy      | Steel    | 30             | 2    |

## Straight Union Reducer 24° Flareless to 24° Flareless (GR)




| Part No. | Parker No. | Series | Material | Tube Size (mm) | Unit |
|----------|------------|--------|----------|----------------|------|
| PT-00665 | GR10/06LCF | Light  | Steel    | 10 x 6         | 2    |
| PT-00666 | GR10/08LCF | Light  | Steel    | 10 x 8         | 2    |
| PT-00667 | GR12/08LCF | Light  | Steel    | 12 x 8         | 2    |
| PT-00668 | GR12/10LCF | Light  | Steel    | 12 x 10        | 2    |
| PT-00669 | GR15/12LCF | Light  | Steel    | 15 x 12        | 2    |
| PT-00670 | GR18/15LCF | Light  | Steel    | 18 x 15        | 2    |
| PT-00671 | GR22/12LCF | Light  | Steel    | 22 x 12        | 2    |
| PT-00672 | GR22/15LCF | Light  | Steel    | 22 x 15        | 2    |
| PT-00673 | GR28/18LCF | Light  | Steel    | 28 x 18        | 2    |
| PT-00674 | GR28/22LCF | Light  | Steel    | 28 x 22        | 2    |
| PT-00675 | GR10/08SCF | Heavy  | Steel    | 10 x 8         | 2    |
| PT-00676 | GR12/10SCF | Heavy  | Steel    | 12 x 10        | 2    |
| PT-00677 | GR16/12SCF | Heavy  | Steel    | 16 x 12        | 2    |
| PT-00678 | GR20/16SCF | Heavy  | Steel    | 20 x 16        | 2    |
| PT-00679 | GR25/20SCF | Heavy  | Steel    | 25 x 20        | 2    |
| PT-00680 | GR30/25SCF | Heavy  | Steel    | 30 x 25        | 2    |

## Straight Bulkhead Union 24° Flareless to 24° Flareless (SV)



| Part No. | Parker No. | Series | Material | Tube Size (mm) | Unit |
|----------|------------|--------|----------|----------------|------|
| PT-00796 | SV08LCF    | Light  | Steel    | 8              | 5    |
| PT-00797 | SV10LCF    | Light  | Steel    | 10             | 5    |
| PT-00798 | SV12LCF    | Light  | Steel    | 12             | 5    |
| PT-00799 | SV15LCF    | Light  | Steel    | 15             | 2    |
| PT-00800 | SV18LCF    | Light  | Steel    | 18             | 2    |
| PT-00801 | SV22LCF    | Light  | Steel    | 22             | 2    |
| PT-00802 | SV28LCF    | Light  | Steel    | 28             | 2    |
| PT-00803 | SV08SCF    | Heavy  | Steel    | 8              | 5    |
| PT-00804 | SV10SCF    | Heavy  | Steel    | 10             | 5    |
| PT-00805 | SV12SCF    | Heavy  | Steel    | 12             | 5    |
| PT-00806 | SV16SCF    | Heavy  | Steel    | 16             | 2    |
| PT-00807 | SV20SCF    | Heavy  | Steel    | 20             | 2    |
| PT-00808 | SV25SCF    | Heavy  | Steel    | 25             | 2    |
| PT-00809 | SV30SCF    | Heavy  | Steel    | 30             | 2    |

## Straight Male Connector 24° Flareless to SAE ORB (GE-UNF/UN)




| Part No. | Parker No.      | Series | Material |
|----------|-----------------|--------|----------|
| PT-00618 | GE08L7/16UNFCF  | Light  | Steel    |
| PT-00619 | GE10L7/16UNFCF  | Light  | Steel    |
| PT-00620 | GE12L3/4UNFCF   | Light  | Steel    |
| PT-00621 | GE12L9/16UNFCF  | Light  | Steel    |
| PT-00622 | GE15L3/4UNFCF   | Light  | Steel    |
| PT-00623 | GE18L3/4UNFCF   | Light  | Steel    |
| PT-00624 | GE28L15/16UNCF  | Light  | Steel    |
| PT-00642 | GE08S7/16UNFCF  | Heavy  | Steel    |
| PT-00643 | GE10S9/16UNFCF  | Heavy  | Steel    |
| PT-00644 | GE12S3/4UNFCF   | Heavy  | Steel    |
| PT-00645 | GE16S3/4UNFCF   | Heavy  | Steel    |
| PT-00646 | GE20S7/8UNFCF   | Heavy  | Steel    |
| PT-00647 | GE25S15/16UNFCF | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00618 | 8              | 7/16-20           | 5    |
| PT-00619 | 10             | 7/16-20           | 5    |
| PT-00620 | 12             | 3/4-16            | 5    |
| PT-00621 | 12             | 9/16-18           | 5    |
| PT-00622 | 15             | 3/4-16            | 2    |
| PT-00623 | 18             | 3/4-16            | 2    |
| PT-00624 | 28             | 1-5/16-12         | 2    |
| PT-00642 | 8              | 7/16-20           | 5    |
| PT-00643 | 10             | 9/16-18           | 5    |
| PT-00644 | 12             | 3/4-16            | 5    |
| PT-00645 | 16             | 3/4-16            | 2    |
| PT-00646 | 20             | 7/8-14            | 2    |
| PT-00647 | 25             | 1-5/16-12         | 2    |

## Straight Male Connector 24° Flareless to MNPTF (GE-NPT)



| Part No. | Parker No.     | Series | Material |
|----------|----------------|--------|----------|
| PT-00575 | GE06L1/4NPTCF  | Light  | Steel    |
| PT-00576 | GE06L1/8NPTCF  | Light  | Steel    |
| PT-00577 | GE08L1/4NPTCF  | Light  | Steel    |
| PT-00437 | GE10L1/4NPTCF  | Light  | Steel    |
| PT-00578 | GE10L3/8NPTCF  | Light  | Steel    |
| PT-00579 | GE12L1/2NPTCF  | Light  | Steel    |
| PT-00580 | GE12L1/4NPTCF  | Light  | Steel    |
| PT-00581 | GE12L3/8NPTCF  | Light  | Steel    |
| PT-00438 | GE15L1/2NPTCF  | Light  | Steel    |
| PT-00582 | GE18L1/2NPTCF  | Light  | Steel    |
| PT-00440 | GE22L3/4NPTCF  | Light  | Steel    |
| PT-00583 | GE28L1NPTCF    | Light  | Steel    |
| PT-00635 | GE08S1/4NPTCF  | Heavy  | Steel    |
| PT-00636 | GE10S3/8NPTCF  | Heavy  | Steel    |
| PT-00637 | GE12S3/8NPTCF  | Heavy  | Steel    |
| PT-00638 | GE16S1/2NPTCF  | Heavy  | Steel    |
| PT-00639 | GE20S3/4NPTCF  | Heavy  | Steel    |
| PT-00640 | GE25S1NPTCF    | Heavy  | Steel    |
| PT-00641 | GE30S11/4NPTCF | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00575 | 6              | 1/4               | 5    |
| PT-00576 | 6              | 1/8               | 5    |
| PT-00577 | 8              | 1/4               | 5    |
| PT-00437 | 10             | 1/4               | 4    |
| PT-00578 | 10             | 3/8               | 5    |
| PT-00579 | 12             | 1/2               | 5    |
| PT-00580 | 12             | 1/4               | 5    |
| PT-00581 | 12             | 3/8               | 5    |
| PT-00438 | 15             | 1/2               | 4    |
| PT-00582 | 18             | 1/2               | 2    |
| PT-00440 | 22             | 3/4               | 4    |
| PT-00583 | 28             | 1                 | 2    |
| PT-00635 | 8              | 1/4               | 5    |
| PT-00636 | 10             | 3/8               | 5    |
| PT-00637 | 12             | 3/8               | 5    |
| PT-00638 | 16             | 1/2               | 2    |
| PT-00639 | 20             | 3/4               | 2    |
| PT-00640 | 25             | 1                 | 2    |
| PT-00641 | 30             | 1-1/4             | 2    |

# Parker EO Metric Bite Type Tube Fittings

## Straight Male Connector 24° Flareless to ISO 6149 (GE0)




| Part No. | Parker No.    | Series | Material |
|----------|---------------|--------|----------|
| PT-00653 | GE006LMCF     | Light  | Steel    |
| PT-00654 | GE008LMCF     | Light  | Steel    |
| PT-00655 | GE010LMCF     | Light  | Steel    |
| PT-00656 | GE012LMCF     | Light  | Steel    |
| PT-00657 | GE018LMCF     | Light  | Steel    |
| PT-00658 | GE022LM27X2CF | Light  | Steel    |
| PT-00659 | GE008SMCF     | Heavy  | Steel    |
| PT-00660 | GE010SMCF     | Heavy  | Steel    |
| PT-00661 | GE012SMCF     | Heavy  | Steel    |
| PT-00662 | GE020SMCF     | Heavy  | Steel    |
| PT-00663 | GE025SMCF     | Heavy  | Steel    |
| PT-00664 | GE030SMCF     | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (mm) | Unit |
|----------|----------------|------------------|------|
| PT-00653 | 6              | M10 x 1          | 5    |
| PT-00654 | 8              | M12 x 1.5        | 5    |
| PT-00655 | 10             | M14 x 1.5        | 5    |
| PT-00656 | 12             | M16 x 1.5        | 5    |
| PT-00657 | 18             | M22 x 1.5        | 2    |
| PT-00658 | 22             | M27 x 2          | 2    |
| PT-00659 | 8              | M14 x 1.5        | 5    |
| PT-00660 | 10             | M16 x 1.5        | 5    |
| PT-00661 | 12             | M18 x 1.5        | 5    |
| PT-00662 | 20             | M27 x 2          | 2    |
| PT-00663 | 25             | M33 x 2          | 2    |
| PT-00664 | 30             | M42 x 2          | 2    |

## Straight Male Connector 24° Flareless to BSPP w/ E0lastic Seal (GE-R-ED)



| Part No. | Parker No.    | Series | Material |
|----------|---------------|--------|----------|
| PT-00434 | GE06LRDCF     | Light  | Steel    |
| PT-00597 | GE06LR1/4EDCF | Light  | Steel    |
| PT-00598 | GE06LR3/8EDCF | Light  | Steel    |
| PT-00599 | GE08LR1/8EDCF | Light  | Steel    |
| PT-00600 | GE08LR3/8EDCF | Light  | Steel    |
| PT-00601 | GE10LR1/2EDCF | Light  | Steel    |
| PT-00602 | GE10LR3/8EDCF | Light  | Steel    |
| PT-00612 | GE08LRDCF     | Light  | Steel    |
| PT-00613 | GE10LRDCF     | Light  | Steel    |
| PT-00614 | GE12LRDCF     | Light  | Steel    |
| PT-00615 | GE18LRDCF     | Light  | Steel    |
| PT-00439 | GE15LRDCF     | Light  | Steel    |
| PT-00616 | GE22LRDCF     | Light  | Steel    |
| PT-00617 | GE28LRDCF     | Light  | Steel    |
| PT-00628 | GE06SRDCF     | Heavy  | Steel    |
| PT-00629 | GE08SRDCF     | Heavy  | Steel    |


## Straight Male Connector 24° Flareless to BSPP w/ E0lastic Seal (GE-R-ED) continued

| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00630 | GE10SRDCF  | Heavy  | Steel    |
| PT-00631 | GE12SRDCF  | Heavy  | Steel    |
| PT-00632 | GE16SRDCF  | Heavy  | Steel    |
| PT-00633 | GE20SRDCF  | Heavy  | Steel    |
| PT-00634 | GE25SRDCF  | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00434 | 6              | 1/8               | 4    |
| PT-00597 | 6              | 1/4               | 5    |
| PT-00598 | 6              | 3/8               | 5    |
| PT-00599 | 8              | 1/8               | 5    |
| PT-00600 | 8              | 3/8               | 5    |
| PT-00601 | 10             | 1/2               | 5    |
| PT-00602 | 10             | 3/8               | 5    |
| PT-00612 | 8              | 1/4               | 5    |
| PT-00613 | 10             | 1/4               | 5    |
| PT-00614 | 12             | 3/8               | 5    |
| PT-00615 | 18             | 1/2               | 2    |
| PT-00439 | 15             | 1/2               | 4    |
| PT-00616 | 22             | 3/4               | 2    |
| PT-00617 | 28             | 1                 | 2    |
| PT-00628 | 10             | 1/4               | 5    |
| PT-00629 | 8              | 1/4               | 5    |
| PT-00630 | 10             | 3/8               | 5    |
| PT-00631 | 12             | 3/8               | 5    |
| PT-00632 | 16             | 1/2               | 2    |
| PT-00633 | 20             | 3/4               | 2    |
| PT-00634 | 25             | 1                 | 2    |

## Straight Male Connector 24° Flareless to BSPP (GE-R)




| Part No. | Parker No.  | Series | Material |
|----------|-------------|--------|----------|
| PT-00590 | GE06LR1/4CF | Light  | Steel    |
| PT-00591 | GE06LR3/8CF | Light  | Steel    |
| PT-00592 | GE06LR1/2CF | Light  | Steel    |
| PT-00593 | GE08LR1/8CF | Light  | Steel    |
| PT-00594 | GE08LR3/8CF | Light  | Steel    |
| PT-00595 | GE08LR1/2CF | Light  | Steel    |
| PT-00596 | GE10LR3/8CF | Light  | Steel    |
| PT-00625 | GE06LRDCF   | Light  | Steel    |
| PT-00626 | GE08LRDCF   | Light  | Steel    |
| PT-00627 | GE10LRDCF   | Light  | Steel    |

## Straight Male Connector 24° Flareless to BSPP (GE-R) continued

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00590 | 6              | 1/4               | 5    |
| PT-00591 | 6              | 3/8               | 5    |
| PT-00592 | 6              | 1/2               | 5    |
| PT-00593 | 8              | 1/8               | 5    |
| PT-00594 | 8              | 3/8               | 5    |
| PT-00595 | 8              | 1/2               | 5    |
| PT-00596 | 10             | 3/8               | 5    |
| PT-00625 | 6              | 1/8               | 5    |
| PT-00626 | 8              | 1/4               | 5    |
| PT-00627 | 10             | 1/4               | 5    |


## Straight Male Connector 24° Flareless to BSPT (GE-R)



| Part No. | Parker No.     | Series     | Material |
|----------|----------------|------------|----------|
| PT-00572 | GE04LLRCF      | Very Light | Steel    |
| PT-00433 | GE06LLRCF      | Very Light | Steel    |
| PT-00436 | GE08LLRCF      | Very Light | Steel    |
| PT-00435 | GE08LLR1/4CF   | Very Light | Steel    |
| PT-00573 | GE10LLRCF      | Very Light | Steel    |
| PT-00574 | GE12LLRCF      | Very Light | Steel    |
| PT-00603 | GE06LR1/8KEGCF | Light      | Steel    |
| PT-00604 | GE06LR1/4KEGCF | Light      | Steel    |
| PT-00605 | GE08LR1/4KEGCF | Light      | Steel    |
| PT-00606 | GE10LR1/4KEGCF | Light      | Steel    |
| PT-00607 | GE12LR1/4KEGCF | Light      | Steel    |
| PT-00608 | GE12LR3/8KEGCF | Light      | Steel    |
| PT-00609 | GE15LR3/8KEGCF | Light      | Steel    |
| PT-00610 | GE15LR1/2KEGCF | Light      | Steel    |
| PT-00611 | GE18LR1/2KEGCF | Light      | Steel    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00572 | 4              | 1/8               | 5    |
| PT-00433 | 6              | 1/8               | 4    |
| PT-00436 | 8              | 1/8               | 4    |
| PT-00435 | 8              | 1/4               | 4    |
| PT-00573 | 10             | 1/4               | 5    |
| PT-00574 | 12             | 1/4               | 5    |
| PT-00603 | 6              | 1/8               | 5    |
| PT-00604 | 6              | 1/4               | 5    |
| PT-00605 | 8              | 1/4               | 5    |
| PT-00606 | 10             | 1/4               | 5    |
| PT-00607 | 12             | 1/4               | 5    |
| PT-00608 | 12             | 3/8               | 5    |
| PT-00609 | 15             | 3/8               | 2    |
| PT-00610 | 15             | 1/2               | 2    |
| PT-00611 | 18             | 1/2               | 2    |


## Straight Male Connector 24° Flareless to Metric w/EOlastic Seal (GE-M-ED)



| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00584 | GE06LMEDCF | Light  | Steel    |
| PT-00585 | GE08LMEDCF | Light  | Steel    |
| PT-00586 | GE10LMEDCF | Light  | Steel    |
| PT-00587 | GE12LMEDCF | Light  | Steel    |
| PT-00588 | GE18LMEDCF | Light  | Steel    |
| PT-00441 | GE22LMEDCF | Light  | Steel    |
| PT-00589 | GE28LMEDCF | Light  | Steel    |
| PT-00648 | GE10SMEDCF | Heavy  | Steel    |
| PT-00649 | GE12SMEDCF | Heavy  | Steel    |
| PT-00650 | GE16SMEDCF | Heavy  | Steel    |
| PT-00651 | GE20SMEDCF | Heavy  | Steel    |
| PT-00652 | GE25SMEDCF | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (mm) | Unit |
|----------|----------------|------------------|------|
| PT-00584 | 6              | M10 x 1          | 5    |
| PT-00585 | 8              | M12 x 1.5        | 5    |
| PT-00586 | 10             | M14 x 1.5        | 5    |
| PT-00587 | 12             | M16 x 1.5        | 5    |
| PT-00588 | 18             | M22 x 1.5        | 2    |
| PT-00441 | 22             | M26 x 1.5        | 4    |
| PT-00589 | 28             | M33 x 2          | 2    |
| PT-00648 | 10             | M16 x 1.5        | 5    |
| PT-00649 | 12             | M18 x 1.5        | 5    |
| PT-00650 | 16             | M22 x 1.5        | 2    |
| PT-00651 | 20             | M27 x 2          | 2    |
| PT-00652 | 25             | M33 x 2          | 2    |

## Straight Tube End Reducer Flareless Swivel to 24° Flareless (RED)



| Part No. | Parker No.  | Series | Material |
|----------|-------------|--------|----------|
| PT-00714 | RED10/08LCF | Light  | Steel    |
| PT-00715 | RED12/08LCF | Light  | Steel    |
| PT-00716 | RED12/10LCF | Light  | Steel    |
| PT-00717 | RED15/08LCF | Light  | Steel    |
| PT-00718 | RED15/10LCF | Light  | Steel    |
| PT-00719 | RED15/12LCF | Light  | Steel    |
| PT-00720 | RED18/10LCF | Light  | Steel    |
| PT-00721 | RED18/15LCF | Light  | Steel    |
| PT-00722 | RED22/12LCF | Light  | Steel    |
| PT-00723 | RED22/15LCF | Light  | Steel    |
| PT-00724 | RED22/18LCF | Light  | Steel    |
| PT-00725 | RED28/15LCF | Light  | Steel    |
| PT-00726 | RED28/18LCF | Light  | Steel    |
| PT-00727 | RED28/22LCF | Light  | Steel    |


# Parker EO Metric Bite Type Tube Fittings

## Straight Tube End Reducer Flareless Swivel to 24° Flareless (RED) continued

| Part No. | Parker No.  | Series | Material |
|----------|-------------|--------|----------|
| PT-00728 | RED10/08SCF | Heavy  | Steel    |
| PT-00729 | RED12/08SCF | Heavy  | Steel    |
| PT-00730 | RED12/10SCF | Heavy  | Steel    |
| PT-00731 | RED16/08SCF | Heavy  | Steel    |
| PT-00732 | RED16/10SCF | Heavy  | Steel    |
| PT-00733 | RED16/12SCF | Heavy  | Steel    |
| PT-00734 | RED20/12SCF | Heavy  | Steel    |
| PT-00735 | RED25/16SCF | Heavy  | Steel    |
| PT-00736 | RED25/20SCF | Heavy  | Steel    |
| PT-00737 | RED30/25SCF | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Unit |
|----------|----------------|------|
| PT-00714 | 10 x 8         | 2    |
| PT-00715 | 12 x 8         | 2    |
| PT-00716 | 12 x 10        | 2    |
| PT-00717 | 15 x 8         | 2    |
| PT-00718 | 15 x 10        | 2    |
| PT-00719 | 15 x 12        | 2    |
| PT-00720 | 18 x 10        | 2    |
| PT-00721 | 18 x 15        | 2    |
| PT-00722 | 22 x 12        | 2    |
| PT-00723 | 22 x 15        | 2    |
| PT-00724 | 22 x 18        | 2    |
| PT-00725 | 28 x 15        | 2    |
| PT-00726 | 28 x 18        | 2    |
| PT-00727 | 28 x 22        | 2    |
| PT-00728 | 10 x 8         | 2    |
| PT-00729 | 12 x 8         | 2    |
| PT-00730 | 12 x 10        | 2    |
| PT-00731 | 16 x 8         | 2    |
| PT-00732 | 16 x 10        | 2    |
| PT-00733 | 16 x 12        | 2    |
| PT-00734 | 20 x 12        | 2    |
| PT-00735 | 25 x 16        | 2    |
| PT-00736 | 25 x 20        | 2    |
| PT-00737 | 30 x 25        | 2    |

## Swivel Connector, Male BSPP Thread, EOlast Seal (EGE-R-ED)




| Part No. | Parker No.  | Series | Material |
|----------|-------------|--------|----------|
| PT-00500 | EGE06LREDCF | Light  | Steel    |
| PT-00501 | EGE08LREDCF | Light  | Steel    |
| PT-00502 | EGE10LREDCF | Light  | Steel    |
| PT-00503 | EGE12LREDCF | Light  | Steel    |
| PT-00504 | EGE15LREDCF | Light  | Steel    |
| PT-00505 | EGE18LREDCF | Light  | Steel    |
| PT-00506 | EGE22LREDCF | Light  | Steel    |
| PT-00507 | EGE06SREDCF | Heavy  | Steel    |
| PT-00508 | EGE08SREDCF | Heavy  | Steel    |
| PT-00509 | EGE10SREDCF | Heavy  | Steel    |
| PT-00510 | EGE12SREDCF | Heavy  | Steel    |
| PT-00511 | EGE14SREDCF | Heavy  | Steel    |
| PT-00512 | EGE16SREDCF | Heavy  | Steel    |
| PT-00513 | EGE20SREDCF | Heavy  | Steel    |
| PT-00514 | EGE25SREDCF | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (mm) | Unit |
|----------|----------------|------------------|------|
| PT-00500 | 6              | M12 x 1.5        | 5    |
| PT-00501 | 8              | M14 x 1.5        | 5    |
| PT-00502 | 10             | M16 x 1.5        | 5    |
| PT-00503 | 12             | M18 x 1.5        | 5    |
| PT-00504 | 15             | M22 x 1.5        | 2    |
| PT-00505 | 18             | M26 x 1.5        | 2    |
| PT-00506 | 22             | M30 x 2          | 2    |
| PT-00507 | 6              | M14 x 1.5        | 5    |
| PT-00508 | 8              | M16 x 1.5        | 5    |
| PT-00509 | 10             | M18 x 1.5        | 5    |
| PT-00510 | 12             | M20 x 1.5        | 5    |
| PT-00511 | 14             | M22 x 1.5        | 5    |
| PT-00512 | 16             | M24 x 1.5        | 5    |
| PT-00513 | 20             | M30 x 2          | 2    |
| PT-00514 | 25             | M36 x 2          | 2    |



## 90° Union Elbow, 24° Flareless to 24° Flareless (W)




| Part No. | Parker No. | Series     | Material | Tube Size (mm) | Unit |
|----------|------------|------------|----------|----------------|------|
| PT-00853 | W08LLCF    | Very Light | Steel    | 8              | 5    |
| PT-00854 | W10LLCF    | Very Light | Steel    | 10             | 5    |
| PT-00855 | W12LLCF    | Very Light | Steel    | 12             | 5    |
| PT-00856 | W08LCF     | Light      | Steel    | 8              | 5    |
| PT-00857 | W10LCF     | Light      | Steel    | 10             | 5    |
| PT-00858 | W12LCF     | Light      | Steel    | 12             | 5    |
| PT-00859 | W15LCF     | Light      | Steel    | 15             | 2    |
| PT-00860 | W18LCF     | Light      | Steel    | 18             | 2    |
| PT-00861 | W22LCF     | Light      | Steel    | 22             | 2    |
| PT-00862 | W28LCF     | Light      | Steel    | 28             | 2    |
| PT-00863 | W06SCF     | Heavy      | Steel    | 6              | 5    |
| PT-00864 | W08SCF     | Heavy      | Steel    | 8              | 5    |
| PT-00865 | W10SCF     | Heavy      | Steel    | 10             | 5    |
| PT-00866 | W12SCF     | Heavy      | Steel    | 12             | 5    |
| PT-00867 | W16SCF     | Heavy      | Steel    | 16             | 2    |
| PT-00868 | W20SCF     | Heavy      | Steel    | 20             | 2    |
| PT-00869 | W25SCF     | Heavy      | Steel    | 25             | 2    |
| PT-00870 | W30SCF     | Heavy      | Steel    | 30             | 2    |

## 90° Male Elbow, 24° Flareless to NPT (WE-NPT) continued


| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00880 | 22             | 3/4               | 2    |
| PT-00881 | 28             | 1                 | 2    |
| PT-00882 | 8              | 1/4               | 5    |
| PT-00883 | 10             | 3/8               | 5    |
| PT-00884 | 12             | 3/8               | 5    |

## 90° Male Elbow, 24° Flareless to BSPT (WE-R keg)



| Part No. | Parker No. | Series     | Material |
|----------|------------|------------|----------|
| PT-00871 | WE04LLRCF  | Very Light | Steel    |
| PT-00461 | WE06LLRCF  | Very Light | Steel    |
| PT-00462 | WE08LLRCF  | Very Light | Steel    |
| PT-00464 | WE10LLRCF  | Very Light | Steel    |
| PT-00872 | WE12LLRCF  | Very Light | Steel    |
| PT-00885 | WE06LRCF   | Light      | Steel    |
| PT-00463 | WE08LRCF   | Light      | Steel    |
| PT-00886 | WE10LRCF   | Light      | Steel    |
| PT-00887 | WE12LRCF   | Light      | Steel    |
| PT-00888 | WE15LRCF   | Light      | Steel    |
| PT-00889 | WE18LRCF   | Light      | Steel    |
| PT-00890 | WE06SRCF   | Heavy      | Steel    |
| PT-00891 | WE08SRCF   | Heavy      | Steel    |
| PT-00892 | WE10SRCF   | Heavy      | Steel    |
| PT-00893 | WE12SRCF   | Heavy      | Steel    |

## 90° Male Elbow, 24° Flareless to NPT (WE-NPT)



| Part No. | Parker No.    | Series | Material |
|----------|---------------|--------|----------|
| PT-00873 | WE06L1/8NPTCF | Light  | Steel    |
| PT-00874 | WE08L1/4NPTCF | Light  | Steel    |
| PT-00875 | WE10L1/4NPTCF | Light  | Steel    |
| PT-00876 | WE12L3/8NPTCF | Light  | Steel    |
| PT-00877 | WE12L1/2NPTCF | Light  | Steel    |
| PT-00878 | WE15L1/2NPTCF | Light  | Steel    |
| PT-00879 | WE18L1/2NPTCF | Light  | Steel    |
| PT-00880 | WE22L3/4NPTCF | Light  | Steel    |
| PT-00881 | WE28L1NPTCF   | Light  | Steel    |
| PT-00882 | WE08S1/4NPTCF | Heavy  | Steel    |
| PT-00883 | WE10S3/8NPTCF | Heavy  | Steel    |
| PT-00884 | WE12S3/8NPTCF | Heavy  | Steel    |


  

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00873 | 6              | 1/8               | 5    |
| PT-00874 | 8              | 1/4               | 5    |
| PT-00875 | 10             | 1/4               | 5    |
| PT-00876 | 12             | 3/8               | 5    |
| PT-00877 | 12             | 1/2               | 5    |
| PT-00878 | 15             | 1/2               | 2    |
| PT-00879 | 18             | 1/2               | 2    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00871 | 4              | 1/8               | 5    |
| PT-00461 | 6              | 1/8               | 4    |
| PT-00462 | 8              | 1/8               | 4    |
| PT-00464 | 10             | 1/4               | 4    |
| PT-00872 | 12             | 1/4               | 5    |
| PT-00885 | 6              | 1/8               | 5    |
| PT-00463 | 8              | 1/4               | 4    |
| PT-00886 | 10             | 1/4               | 5    |
| PT-00887 | 12             | 3/8               | 5    |
| PT-00888 | 15             | 1/2               | 2    |
| PT-00889 | 18             | 1/2               | 2    |
| PT-00890 | 6              | 1/4               | 5    |
| PT-00891 | 8              | 1/4               | 5    |
| PT-00892 | 10             | 3/8               | 5    |
| PT-00893 | 12             | 3/8               | 5    |

# Parker EO Metric Bite Type Tube Fittings

## 90° Adjustable Locknut Elbow, 24° Flareless to BSPP ORR (WEE-R)




| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00465 | WEE06LRCF  | Light  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00465 | 6              | 1/8               | 4    |

## 90° Swivel Nut Elbow, 24° Flareless to Flareless Swivel (EW)




| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00540 | EW06LCF    | Light  | Steel    |
| PT-00541 | EW08LCF    | Light  | Steel    |
| PT-00542 | EW10LCF    | Light  | Steel    |
| PT-00543 | EW12LCF    | Light  | Steel    |
| PT-00544 | EW15LCF    | Light  | Steel    |
| PT-00545 | EW18LCF    | Light  | Steel    |
| PT-00546 | EW22LCF    | Light  | Steel    |
| PT-00547 | EW28LCF    | Light  | Steel    |
| PT-00548 | EW08SCF    | Heavy  | Steel    |
| PT-00549 | EW10SCF    | Heavy  | Steel    |
| PT-00550 | EW12SCF    | Heavy  | Steel    |
| PT-00551 | EW16SCF    | Heavy  | Steel    |
| PT-00552 | EW20SCF    | Heavy  | Steel    |
| PT-00553 | EW25SCF    | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (mm) | Unit |
|----------|----------------|------------------|------|
| PT-00540 | 6              | M12 x 1.5        | 5    |
| PT-00541 | 8              | M14 x 1.5        | 5    |
| PT-00542 | 10             | M16 x 1.5        | 5    |
| PT-00543 | 12             | M18 x 1.5        | 5    |
| PT-00544 | 15             | M22 x 1.5        | 2    |
| PT-00545 | 18             | M26 x 1.5        | 2    |
| PT-00546 | 22             | M30 x 2          | 2    |
| PT-00547 | 28             | M36 x 2          | 2    |
| PT-00548 | 8              | M16 x 1.5        | 5    |
| PT-00549 | 10             | M18 x 1.5        | 5    |
| PT-00550 | 12             | M20 x 1.5        | 5    |
| PT-00551 | 16             | M24 x 1.5        | 2    |
| PT-00552 | 20             | M30 x 2          | 2    |
| PT-00553 | 25             | M36 x 2          | 2    |

## 90° High Pressure Banjo Elbow, 24° Flareless to BSPP (WH-R)




| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00466 | WH08LRCF   | Light  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00466 | 8              | 1/4               | 4    |

## 90° High Pressure Banjo Elbow 24° Flareless to Metric Parallel (WH-M)



| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00467 | WH15LMCF   | Light  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (mm) | Unit |
|----------|----------------|------------------|------|
| PT-00467 | 15             | M18 X 1.5        | 4    |

## Metal Seal (Steel) For Banjo Fittings (DKA)




| Part No. | Parker No.    | Material | Thread Size (mm) | Thread Size (in.) | Unit |
|----------|---------------|----------|------------------|-------------------|------|
| PT-00428 | DKA1/2X4.5CFX | Steel    | —                | 1/2               | 10   |
| PT-00429 | DKA1/4CFX     | Steel    | —                | 1/4               | 10   |
| PT-00430 | DKA1/8CFX     | Steel    | —                | 1/8               | 10   |
| PT-00431 | DKA18CFX      | Steel    | M18 X 1.5        | —                 | 10   |
| PT-00432 | DKA26X3.5CFX  | Steel    | M26 X 1.5        | —                 | 10   |

## Bonded Seal (Steel and NBR) for Banjo Fittings (KDS)




| Part No. | Parker No. | Thread Size (mm) | Unit |
|----------|------------|------------------|------|
| PT-00442 | KDS14X     | M14 x 1.5        | 10   |

## 90° Banjo Elbow 24° Flareless to Male BSPP (SWVE-R)



| Part No. | Parker No.  | Series     | Material | Tube Size (mm) | Unit |
|----------|-------------|------------|----------|----------------|------|
| PT-00457 | SWVE08LLRCF | Very Light | Steel    | 8              | 4    |
| PT-00456 | SWVE06LRCF  | Light      | Steel    | 6              | 4    |
| PT-00458 | SWVE10LRCF  | Light      | Steel    | 10             | 4    |
| PT-00459 | SWVE15LRCF  | Light      | Steel    | 15             | 4    |


## Union T 24° Flareless (T)



| Part No. | Parker No. | Series     | Material |
|----------|------------|------------|----------|
| PT-00810 | T06LLCF    | Very Light | Steel    |
| PT-00811 | T08LLCF    | Very Light | Steel    |
| PT-00812 | T10LLCF    | Very Light | Steel    |
| PT-00813 | T12LLCF    | Very Light | Steel    |
| PT-00814 | T06LCF     | Light      | Steel    |
| PT-00815 | T08LCF     | Light      | Steel    |
| PT-00816 | T10LCF     | Light      | Steel    |
| PT-00817 | T12LCF     | Light      | Steel    |
| PT-00818 | T15LCF     | Light      | Steel    |
| PT-00819 | T18LCF     | Light      | Steel    |
| PT-00820 | T22LCF     | Light      | Steel    |
| PT-00821 | T28LCF     | Light      | Steel    |
| PT-00822 | T06SCF     | Heavy      | Steel    |
| PT-00823 | T08SCF     | Heavy      | Steel    |
| PT-00824 | T10SCF     | Heavy      | Steel    |
| PT-00825 | T12SCF     | Heavy      | Steel    |
| PT-00826 | T16SCF     | Heavy      | Steel    |
| PT-00827 | T20SCF     | Heavy      | Steel    |
| PT-00828 | T25SCF     | Heavy      | Steel    |
| PT-00829 | T30SCF     | Heavy      | Steel    |

| Part No. | Tube Size (mm) | Unit |
|----------|----------------|------|
| PT-00810 | 6              | 5    |
| PT-00811 | 8              | 5    |
| PT-00812 | 10             | 5    |
| PT-00813 | 12             | 5    |
| PT-00814 | 6              | 5    |
| PT-00815 | 8              | 5    |
| PT-00816 | 10             | 5    |
| PT-00817 | 12             | 5    |
| PT-00818 | 15             | 2    |
| PT-00819 | 18             | 2    |
| PT-00820 | 22             | 2    |
| PT-00821 | 28             | 2    |
| PT-00822 | 6              | 5    |
| PT-00823 | 8              | 5    |
| PT-00824 | 10             | 5    |
| PT-00825 | 12             | 5    |
| PT-00826 | 16             | 2    |
| PT-00827 | 20             | 2    |
| PT-00828 | 25             | 2    |
| PT-00829 | 30             | 2    |


## Swivel Nut Branch Tee, 24° Flareless to Flareless Swivel (ET)



| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00529 | ET06LCF    | Light  | Steel    |
| PT-00530 | ET08LCF    | Light  | Steel    |
| PT-00531 | ET12LCF    | Light  | Steel    |
| PT-00532 | ET15LCF    | Light  | Steel    |
| PT-00533 | ET18LCF    | Light  | Steel    |
| PT-00534 | ET22LCF    | Light  | Steel    |
| PT-00535 | ET06SCF    | Heavy  | Steel    |
| PT-00536 | ET10SCF    | Heavy  | Steel    |
| PT-00537 | ET12SCF    | Heavy  | Steel    |
| PT-00538 | ET20SCF    | Heavy  | Steel    |
| PT-00539 | ET25SCF    | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (mm) | Unit |
|----------|----------------|------------------|------|
| PT-00529 | 6              | M12 x 1.5        | 5    |
| PT-00530 | 8              | M14 x 1.5        | 5    |
| PT-00531 | 12             | M18 x 1.5        | 5    |
| PT-00532 | 15             | M22 x 1.5        | 2    |
| PT-00533 | 18             | M26 x 1.5        | 2    |
| PT-00534 | 22             | M30 x 2          | 2    |
| PT-00535 | 6              | M14 x 1.5        | 5    |
| PT-00536 | 10             | M18 x 1.5        | 5    |
| PT-00537 | 12             | M20 x 1.5        | 5    |
| PT-00538 | 20             | M30 x 2          | 2    |
| PT-00539 | 25             | M36 x 2          | 2    |

## Swivel Nut Run Tee, 24° Flareless to Flareless Swivel (EL)




| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00515 | EL06LCF    | Light  | Steel    |
| PT-00516 | EL08LCF    | Light  | Steel    |
| PT-00517 | EL10LCF    | Light  | Steel    |
| PT-00518 | EL12LCF    | Light  | Steel    |
| PT-00519 | EL15LCF    | Light  | Steel    |
| PT-00520 | EL18LCF    | Light  | Steel    |
| PT-00521 | EL22LCF    | Light  | Steel    |
| PT-00522 | EL28LCF    | Light  | Steel    |
| PT-00523 | EL08SCF    | Heavy  | Steel    |
| PT-00524 | EL10SCF    | Heavy  | Steel    |
| PT-00525 | EL12SCF    | Heavy  | Steel    |
| PT-00526 | EL16SCF    | Heavy  | Steel    |
| PT-00527 | EL20SCF    | Heavy  | Steel    |
| PT-00528 | EL25SCF    | Heavy  | Steel    |

# Parker EO Metric Bite Type Tube Fittings

## Swivel Nut Run Tee, 24° Flareless to Flareless Swivel (EL) continued

| Part No. | Tube Size (mm) | Thread Size (mm) | Unit |
|----------|----------------|------------------|------|
| PT-00515 | 6              | M12 x 1.5        | 5    |
| PT-00516 | 8              | M14 x 1.5        | 5    |
| PT-00517 | 10             | M16 x 1.5        | 5    |
| PT-00518 | 12             | M18 x 1.5        | 5    |
| PT-00519 | 15             | M22 x 1.5        | 2    |
| PT-00520 | 18             | M26 x 1.5        | 2    |
| PT-00521 | 22             | M30 x 2          | 2    |
| PT-00522 | 28             | M36 x 2          | 2    |
| PT-00523 | 8              | M16 x 1.5        | 5    |
| PT-00524 | 10             | M18 x 1.5        | 5    |
| PT-00525 | 12             | M20 x 1.5        | 5    |
| PT-00526 | 16             | M24 x 1.5        | 2    |
| PT-00527 | 20             | M30 x 2          | 2    |
| PT-00528 | 25             | M36 x 2          | 2    |

## Straight Non-Return (Check) Valve 24° Flareless to 24° Flareless (RHD)



| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00738 | RHD08LCF   | Light  | Steel    |
| PT-00739 | RHD10LCF   | Light  | Steel    |
| PT-00740 | RHD12LCF   | Light  | Steel    |
| PT-00741 | RHD15LCF   | Light  | Steel    |
| PT-00742 | RHD18LCF   | Light  | Steel    |
| PT-00743 | RHD22LCF   | Light  | Steel    |
| PT-00744 | RHD28LCF   | Light  | Steel    |
| PT-00745 | RHD08SCF   | Heavy  | Steel    |
| PT-00746 | RHD10SCF   | Heavy  | Steel    |
| PT-00747 | RHD12SCF   | Heavy  | Steel    |
| PT-00748 | RHD16SCF   | Heavy  | Steel    |
| PT-00749 | RHD20SCF   | Heavy  | Steel    |
| PT-00750 | RHD25SCF   | Heavy  | Steel    |
| PT-00751 | RHD30SCF   | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Unit |
|----------|----------------|------|
| PT-00738 | 8              | 1    |
| PT-00739 | 10             | 1    |
| PT-00740 | 12             | 1    |
| PT-00741 | 15             | 1    |
| PT-00742 | 18             | 1    |
| PT-00743 | 22             | 1    |
| PT-00744 | 28             | 1    |
| PT-00745 | 8              | 1    |
| PT-00746 | 10             | 1    |
| PT-00747 | 12             | 1    |

## Straight Non-Return (Check) Valve 24° Flareless to 24° Flareless (RHD) continued

| Part No. | Tube Size (mm) | Unit |
|----------|----------------|------|
| PT-00748 | 16             | 1    |
| PT-00749 | 20             | 1    |
| PT-00750 | 25             | 1    |
| PT-00751 | 30             | 1    |


## Straight Non-Return (Check) Valve 24° Flareless to BSPP w/ EOlastic Seal (RHV-R-ED)



| Part No. | Parker No.  | Series | Material |
|----------|-------------|--------|----------|
| PT-00752 | RHV08LREDCF | Light  | Steel    |
| PT-00455 | RHV10LREDCF | Light  | Steel    |
| PT-00753 | RHV12LREDCF | Light  | Steel    |
| PT-00754 | RHV18LREDCF | Light  | Steel    |
| PT-00755 | RHV22LREDCF | Light  | Steel    |
| PT-00756 | RHV28LREDCF | Light  | Steel    |
| PT-00757 | RHV08SREDCF | Heavy  | Steel    |
| PT-00758 | RHV12SREDCF | Heavy  | Steel    |
| PT-00759 | RHV16SREDCF | Heavy  | Steel    |
| PT-00760 | RHV20SREDCF | Heavy  | Steel    |
| PT-00761 | RHV25SREDCF | Heavy  | Steel    |
| PT-00762 | RHV30SREDCF | Heavy  | Steel    |

| Part No. | Tube Size (mm) | Thread Size (in.) | Unit |
|----------|----------------|-------------------|------|
| PT-00752 | 8              | 1/4               | 1    |
| PT-00455 | 10             | 1/4               | 1    |
| PT-00753 | 12             | 3/8               | 1    |
| PT-00754 | 18             | 1/2               | 1    |
| PT-00755 | 22             | 3/4               | 1    |
| PT-00756 | 28             | 1                 | 1    |
| PT-00757 | 8              | 1/4               | 1    |
| PT-00758 | 12             | 3/8               | 1    |
| PT-00759 | 16             | 1/2               | 1    |
| PT-00760 | 20             | 3/4               | 1    |
| PT-00761 | 25             | 1                 | 1    |
| PT-00762 | 30             | 1-1/4             | 1    |


## Two-Way Ball Valve 24° Flareless to 24° Flareless (KH)



| Part No. | Parker No. | Series | Material |
|----------|------------|--------|----------|
| PT-00681 | KH10L      | Light  | Steel    |
| PT-00682 | KH12L      | Light  | Steel    |
| PT-00683 | KH15L      | Light  | Steel    |
| PT-00684 | KH18L      | Light  | Steel    |
| PT-00685 | KH22L      | Light  | Steel    |
| PT-00686 | KH10S      | Heavy  | Steel    |
| PT-00687 | KH12S      | Heavy  | Steel    |
| PT-00688 | KH16S      | Heavy  | Steel    |
| PT-00689 | KH20S      | Heavy  | Steel    |
| PT-00690 | KH25S      | Heavy  | Steel    |
| PT-00691 | KH30S      | Heavy  | Steel    |


| Part No. | Tube Size (mm) | Unit |
|----------|----------------|------|
| PT-00681 | 10             | 1    |
| PT-00682 | 12             | 1    |
| PT-00683 | 15             | 1    |
| PT-00684 | 18             | 1    |
| PT-00685 | 22             | 1    |
| PT-00686 | 10             | 1    |
| PT-00687 | 12             | 1    |
| PT-00688 | 16             | 1    |
| PT-00689 | 20             | 1    |
| PT-00690 | 25             | 1    |
| PT-00691 | 30             | 1    |

## Cap (VKA)



| Part No. | Parker No. | Material | Tube Size (mm) | Unit |
|----------|------------|----------|----------------|------|
| PT-00830 | VKA06CF    | Steel    | 6              | 5    |
| PT-00831 | VKA08CF    | Steel    | 8              | 5    |
| PT-00832 | VKA10CF    | Steel    | 10             | 5    |
| PT-00833 | VKA12CF    | Steel    | 12             | 5    |
| PT-00834 | VKA15CF    | Steel    | 15             | 5    |
| PT-00835 | VKA16CF    | Steel    | 16             | 5    |
| PT-00836 | VKA18CF    | Steel    | 18             | 5    |
| PT-00837 | VKA20CF    | Steel    | 20             | 2    |
| PT-00838 | VKA22CF    | Steel    | 22             | 2    |
| PT-00839 | VKA25CF    | Steel    | 25             | 2    |
| PT-00840 | VKA28CF    | Steel    | 28             | 2    |
| PT-00841 | VKA30CF    | Steel    | 30             | 2    |

## Plug 24° Flareless (ROV)



| Part No. | Parker No. | Series | Material | Tube Size (mm) | Unit |
|----------|------------|--------|----------|----------------|------|
| PT-00763 | ROV06LCF   | Light  | Steel    | 6              | 5    |
| PT-00764 | ROV06LCFX  | Light  | Steel    | 6              | 5    |
| PT-00765 | ROV08LCF   | Light  | Steel    | 8              | 5    |
| PT-00766 | ROV08LCFX  | Light  | Steel    | 8              | 5    |
| PT-00767 | ROV10LCF   | Light  | Steel    | 10             | 5    |
| PT-00769 | ROV12LCF   | Light  | Steel    | 12             | 5    |
| PT-00770 | ROV12LCFX  | Light  | Steel    | 12             | 5    |
| PT-00771 | ROV15LCF   | Light  | Steel    | 15             | 5    |
| PT-00772 | ROV15LCFX  | Light  | Steel    | 15             | 5    |
| PT-00768 | ROV10LCFX  | Light  | Steel    | 10             | 5    |
| PT-00773 | ROV18LCF   | Light  | Steel    | 18             | 5    |
| PT-00774 | ROV18LCFX  | Light  | Steel    | 18             | 5    |
| PT-00775 | ROV22LCF   | Light  | Steel    | 22             | 2    |
| PT-00776 | ROV22LCFX  | Light  | Steel    | 22             | 2    |
| PT-00777 | ROV28LCF   | Light  | Steel    | 28             | 2    |
| PT-00778 | ROV28LCFX  | Light  | Steel    | 28             | 2    |
| PT-00779 | ROV35LCF   | Light  | Steel    | 35             | 1    |
| PT-00780 | ROV42LCF   | Light  | Steel    | 42             | 1    |
| PT-00781 | ROV06SCF   | Heavy  | Steel    | 6              | 5    |
| PT-00782 | ROV06SCFX  | Heavy  | Steel    | 6              | 5    |
| PT-00783 | ROV08SCF   | Heavy  | Steel    | 8              | 5    |
| PT-00784 | ROV08SCFX  | Heavy  | Steel    | 8              | 5    |
| PT-00785 | ROV10SCF   | Heavy  | Steel    | 10             | 5    |
| PT-00786 | ROV10SCFX  | Heavy  | Steel    | 10             | 5    |
| PT-00787 | ROV12SCF   | Heavy  | Steel    | 12             | 5    |
| PT-00788 | ROV12SCFX  | Heavy  | Steel    | 12             | 5    |
| PT-00789 | ROV14SCFX  | Heavy  | Steel    | 14             | 2    |
| PT-00790 | ROV16SCF   | Heavy  | Steel    | 16             | 2    |
| PT-00791 | ROV16SCFX  | Heavy  | Steel    | 16             | 2    |
| PT-00792 | ROV20SCF   | Heavy  | Steel    | 20             | 2    |
| PT-00793 | ROV20SCFX  | Heavy  | Steel    | 20             | 2    |
| PT-00794 | ROV25SCF   | Heavy  | Steel    | 25             | 2    |
| PT-00795 | ROV25SCFX  | Heavy  | Steel    | 25             | 2    |

# Parker EO Metric Bite Type Tube Fittings

## BSPP Hollow Hex Plug (VSTI R-ED)


- For ISO 1179-1 / DIN 3852-2 Port



| Part No. | Parker No.  | Material | Thread Size (in.) | Unit |
|----------|-------------|----------|-------------------|------|
| PT-00460 | VSTI1/8EDCF | Steel    | 1/8               | 4    |
| PT-00842 | VSTI1/4EDCF | Steel    | 1/4               | 5    |
| PT-00843 | VSTI3/8EDCF | Steel    | 3/8               | 5    |
| PT-00844 | VSTI1/2EDCF | Steel    | 1/2               | 5    |


## Metric Hollow Hex Plug (VSTI M-ED)

- For ISO 9974-1/DIN 3852-1 Port



| Part No. | Parker No.     | Material | Thread Size (mm) | Unit |
|----------|----------------|----------|------------------|------|
| PT-00845 | VSTI10X1EDCF   | Steel    | M10 x 1          | 5    |
| PT-00848 | VSTI16X1.5EDCF | Steel    | M16 x 1.5        | 5    |
| PT-00849 | VSTI18X1.5EDCF | Steel    | M18 x 1.5        | 5    |
| PT-00851 | VSTI22X1.5EDCF | Steel    | M22 x 1.5        | 2    |
| PT-00852 | VSTI26X1.5EDCF | Steel    | M26 x 1.5        | 2    |


## Straight BSPP Reducing Adapter/ Expander (RI)



- For ISO 1179-1 / DIN 3852-2 Port


| Part No. | Parker No.    | Material | Thread Size (in.) | Unit |
|----------|---------------|----------|-------------------|------|
| PT-00894 | RI1/8EDX1/4CF | Steel    | 1/8 x 1/4         | 5    |
| PT-00895 | RI1/4EDX1/8CF | Steel    | 1/4 x 1/8         | 5    |
| PT-00896 | RI1/4EDX3/8CF | Steel    | 1/4 x 3/8         | 5    |
| PT-00897 | RI3/8EDX1/4CF | Steel    | 3/8 x 1/4         | 5    |
| PT-00898 | RI3/8EDX1/2CF | Steel    | 3/8 x 1/2         | 2    |
| PT-00899 | RI1/2EDX3/8CF | Steel    | 1/2 x 3/8         | 2    |
| PT-00900 | RI1/2EDX3/4CF | Steel    | 1/2 x 3/4         | 2    |
| PT-00901 | RI3/4EDX1/2CF | Steel    | 3/4 x 1/2         | 2    |
| PT-00902 | RI3/4EDX1CF   | Steel    | 3/4 x 1           | 2    |
| PT-00903 | RI1EDX3/4CF   | Steel    | 1 x 3/4           | 2    |

## Steel Adapter, JIS, Hex Head Plug (JIS B2351) with O-Ring




| Part No. | Parker No. | Thread Size (in.) | Unit |
|----------|------------|-------------------|------|
| PT-00468 | 4P470MNS   | 1/4               | 4    |

## Brass Adapter, Male Pipe to Female BSPP



| Part No. | Parker No. | Material | Thread Size (in.) | Unit |
|----------|------------|----------|-------------------|------|
| PF-00090 | 1/4FHG4B   | Brass    | 1/4 x 1/4         | 4    |

## Brass, 90° Elbow Adapter, Male Pipe to Male Pipe



| Part No. | Parker No. | Material | Thread Size (in.) | Unit |
|----------|------------|----------|-------------------|------|
| PF-00091 | 1204P-4    | Brass    | 1/4               | 4    |

## METRIC TUBE FITTINGS



Put Barnes **BLUE** to work for you.<sup>SM</sup>